
## THOR III VAULT DOORS



Class, I, II

Class M (TL30)



## THOR III VAULT DOORS







- Available in Class M, Class I, Class II or Class, III with right or left swing.
- Stainless steel cladding provides high durability with low maintenance.
- Two UL Listed Combination Locks provide single or dual control. Or one electronic combination lock (UL Lister)
- 3-Movement, 144 hour time locks with reset feature in case of accidental over-wind.
- Built-in 80 CFM UL Emergency Ventilator for added protection.
- Attractive Acrylic Day Gate with optional Bar Style Gate available.
- Anti-friction bearings and Chrome finished handle for ease of opening.
- 36" Clear width with anti-skid sill, provides ample room for access.



## **VAULT PANELS**

UL Listed vault panels are constructed of high strength concrete and steel. High strength modular panels provide the same strength and security as poured-in-place vaults, but require much less space. Modular panels install quickly and provide flexibility or future expansion or relocation. Available in Class M, Class I, Class II or Class, III.

## THOR III VAULT DOOR




78 1/4" CLEAR OPENING 84" MASONRY OPENING


72 1/2" DAY GATE

5/8" BED PLATE



Standard Style Daygate





VAULT HEADER

MONOLITH SLAB


COMPLETE STAINLESS STEEL CLADDING

**OPERATING HANDLE** 

STANDARD \_\_ DUAL COMBOS



Rod Style Daygate



Close Up Interior Door Components



Solid Acrylic Daygate

